

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	3694	451/5,41.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/08/30 13:35
S3	5325	427/127,128.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/08/30 13:33
S4	6931	360/121-126,317.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/08/30 13:33
S5	5215	29/592.1,603.12-603.16,603.18, 829,831,851,885.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/08/30 15:30
S6	1	(substrate or wafer) near (trench\$2 or cavit\$3) near coil	USPAT; JPO; DERWENT	OR	ON	2005/08/30 14:14
S7	802	(trench\$2 or cavit\$3) near coil	USPAT; JPO; DERWENT	OR	ON	2005/08/30 13:39
S9	894	etch\$3 near (substrate or wafer) near (trench\$2 or cavit\$3)	USPAT; JPO; DERWENT	OR	ON	2005/08/30 14:12
S10	0	S7 and S9	USPAT; JPO; DERWENT	OR	ON	2005/08/30 13:39
S11	98	(trench\$2 or cavit\$3) near (form\$3 or embedd\$3) near coil	USPAT; JPO; DERWENT	OR	ON	2005/08/30 15:28
S12	1	S5 and S11	USPAT; JPO; DERWENT	OR	ON	2005/08/30 13:40
S13	26	("4102683" "4652954" "4684438" "5034089" "5045417" "5126220" "5153083" "5414580" "5448822" "5515221" "5566442" "5621592" "5649351" "5658470" "5665251" "5666249" "5681426" "5695656" "5700380" "5729887" "5742458" "5779923" "5894388" "6226149" "6304414" "6515826").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/30 13:40
S14	4	(trench\$2 or cavit\$3) near (embedd\$3) near coil	USPAT; JPO; DERWENT	OR	ON	2005/08/30 14:02

S15	116	HAN-CHERNG-CHYI.in. or CHEN-MAO-MIN.in. or WANG-PO-KANG.in.	USPAT; JPO; DERWENT	OR	ON	2005/08/30 14:02
S16	0	S9 and S15	USPAT; JPO; DERWENT	OR	ON	2005/08/30 14:03
S17	2	S7 and S15	USPAT; JPO; DERWENT	OR	ON	2005/08/30 14:03
S18	5	("6304414" "6317280" "6325947" "6333830" "6339523").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/30 14:06
S19	11	((("6317288") or ("6466404") or ("6396660") or ("6339523") or ("6466401"))).PN.	USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/08/30 14:07
S20	10	S11 and planariz\$3	USPAT; JPO; DERWENT	OR	ON	2005/08/30 14:09
S21	0	etch\$3 near (substrate or wafer) near (trench\$2 or cavit\$3) near coil	USPAT; JPO; DERWENT	OR	ON	2005/08/30 14:12
S22	205	(substrate or wafer) with (trench\$2 or cavit\$3) with coil	USPAT; JPO; DERWENT	OR	ON	2005/08/30 14:14
S23	16	(substrate or wafer) with (trench\$2 or cavit\$3) with coil	EPO; JPO	OR	ON	2005/08/30 14:15
S24	0	((trench\$2 or cavit\$3) near (form\$3 or embedd\$3) near coil) with planariz\$4	USPAT; JPO; DERWENT	OR	ON	2005/08/30 15:29
S25	6931	360/121-126,317.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/08/30 15:29
S26	6931	S25 or S25	USPAT; JPO; DERWENT	OR	ON	2005/08/30 15:29
S27	5215	29/592.1,603.12-603.16,603.18, 829,831,851,885.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/08/30 15:30
S28	419	S25 and S27	USPAT; JPO; DERWENT	OR	ON	2005/08/30 15:30
S29	11727	S25 or S27	USPAT; JPO; DERWENT	OR	ON	2005/08/30 15:30
S30	8	photoresist with deposit\$3 with coil with planariz\$5	USPAT; JPO; DERWENT	OR	ON	2005/08/30 15:31

S31	7	S30 and @ad<"20030825"	USPAT; JPO; DERWENT	OR	ON	2005/08/30 15:31
-----	---	------------------------	---------------------------	----	----	------------------


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "(((coil <and> photoresist <and> pole)<in>metadata)) <and> (pyr >= 1950 &l..." [e-mail](#)

Your search matched 3 of 1229994 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **Design and performance of a recessed thin film inductive transducer**
 Zak, B.S.; Curland, N.; Giusti, J.H.; Ash, K.P.; Cameron, G.P.;
 Magnetics, IEEE Transactions on
 Volume 32, Issue 1, Jan. 1996 Page(s):74 - 79
 Digital Object Identifier 10.1109/20.477553
[AbstractPlus](#) | Full Text: [PDF\(656 KB\)](#) IEEE JNL
- ☐ 2. **Thermomechanical head performance**
 Pust, L.; Rea, C.J.T.; Gangopadhyay, S.;
 Magnetics, IEEE Transactions on
 Volume 38, Issue 1, Part 1, Jan. 2002 Page(s):101 - 106
 Digital Object Identifier 10.1109/TMAG.2002.988919
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(282 KB\)](#) IEEE JNL
- ☐ 3. **Fabrication of submicron trackwidth thin film head and its inductance-sat characteristics**
 Du, H.; Pan, G.;
 Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical P
 International
 28 April-2 May 2002 Page(s):AQ6
 Digital Object Identifier 10.1109/INTMAG.2002.1000666
[AbstractPlus](#) | Full Text: [PDF\(228 KB\)](#) IEEE CNF

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE -

 Indexed by